

www.bryson.co.uk

PRO SERIES WOODSCREW

HIGH PERFORMANCE WOODSCREW



bryson®

HIGH PERFORMANCE. GUARANTEED.

INTRODUCING THE **bryson**[®] *PRO* SERIES

NEW
PRODUCT
LAUNCH




Slash Point &
Serrated Thread

Molecular
Lubrication

Milling/ Helical
Thread


Double
Countersunk



FOR REDUCED TOUQUE
& FAST INSERTION



FOR REDUCED
INSERTION TIME



FOR SPLIT FREE,
CLEAN INSERTION




FOR REDUCED HEAD
SHEER & FLUSH
FINISH



Stock no	Size (mm)	Imperial Size(*)	Pack Qty	Carton Qty
09510	3.5 x 12	6 x 1/2	200	8,400
09511	3.5 x 16	6 x 5/8	200	8,400
09512	3.5 x 20	6 x 3/4	200	8,400
09513	3.5 x 25	6 x 1	200	8,400
09514	3.5 x 30	6 x 1 1/4	200	4,800
09515	3.5 x 35	6 x 1 1/2	200	4,800
09516	3.5 x 40	6 x 1 1/2	200	4,800
09517	3.5 x 50	6 x 2	200	2,800
09518	4.0 x 16	8 x 5/8	200	8,400
09519	4.0 x 20	8 x 3/4	200	8,400
09520	4.0 x 25	8 x 1	200	8,400
09521	4.0 x 30	8 x 1 1/4	200	8,400
09522	4.0 x 35	8 x 1 1/2	200	4,800
09523	4.0 x 40	8 x 1 1/2	200	4,800
09524	4.0 x 45	8 x 1 3/4	200	4,800
09525	4.0 x 50	8 x 2	200	4,800
09526	4.0 x 60	8 x 2 1/2	200	2,800
09527	4.0 x 70	8 x 2 3/4	200	2,400
09528	4.5 x 50	9 x 2	200	2,800
09529	4.5 x 60	9 x 2 1/2	200	2,800
09530	4.5 x 70	9 x 2 3/4	200	2,800
09531	4.5 x 80	9 x 3 1/8	200	2,400
09532	5.0 x 25	10 x 1	200	4,800
09533	5.0 x 30	10 x 1 1/4	200	2,800
09534	5.0 x 35	10 x 1 1/2	200	2,800
09535	5.0 x 40	10 x 1 1/2	200	2,800
09536	5.0 x 45	10 x 1 3/4	200	2,800
09537	5.0 x 50	10 x 2	200	2,800
09538	5.0 x 60	10 x 2 1/2	200	2,400
09539	5.0 x 70	10 x 2 3/4	200	2,400
09540	5.0 x 80	10 x 3 1/8	100	1,400
09541	5.0 x 90	10 x 3 1/2	100	1,400
09542	5.0 x 100	10 x 4	100	1,400
09543	6.0 x 40	12 x 1 1/2	200	2,800
09544	6.0 x 50	12 x 2	200	2,400
09545	6.0 x 60	12 x 2 1/2	100	1,400
09546	6.0 x 70	12 x 2 3/4	100	1,200
09547	6.0 x 80	12 x 3 1/8	100	1,200
09548	6.0 x 90	12 x 3 1/2	100	1,200
09549	6.0 x 100	12 x 4	100	1,200
09550	6.0 x 120	12 x 4 3/4	100	1,200
09551	6.0 x 130	12 x 5	100	1,200
09552	6.0 x 150	12 x 6	100	1,200

PRO SERIES

- **High performance woodscrews**
- **F.I.T:** Fast Insertion Time
- **Slash point & serrated thread:** for reduced torque & fast insertion
- **Molecular lubrication:** for reduced insertion time
- **Milling Thread / Helical Thread:** reduces torque, helps prevent splitting & clears the hole (which is particularly effective when joining two pieces of wood as it helps to prevent jacking)
- **Reinforced Double Countersunk Head:** reduces head breakage & assists countersinking
- **Self-Countersinking Ribs:** for improved countersinking & a flush finish
- **Waxed Zinc and Yellow Passivated Finish:** corrosion resistant & significantly reduces torque
- **PLUS:** A FREE driver bit is included in each box!



PRO SERIES WOODSCREW

HIGH PERFORMANCE WOODSCREW

020 8660 9119

sales@bryson.co.uk

www.bryson.co.uk



BROWSE OUR FULL PRODUCT RANGE ONLINE

Temporary
Protection

Site Set-Up
& Safety

PPE &
Workwear

Sealants &
Adhesives

Screws &
Fixings

Brickwork
Sundries

Tools

Site Lighting
& Power

Power Tool
Accessories

Stud, Track &
MF

bryson[®]